

CATÁLOGO PRODUCTOS

1 - AN

Email: sales@nbplumbtech.com TEL: +86-19817374343 Website: www.nbplumbtech.com













LINES

F/	AUCET LINE
	SIENNA
	TAFF
	oz
	MUZIO
	MARSEILLES
	DESIGN
	CARMINA
	Aaron
	PHILIP
	SUPRA
	GENOA
	NEW STANDARD
	BARI
	AREZZO
	FLORENCE
	PIERO
	ORNELLA
	NAPLES

- NAPLES
- VERENA
- MODENA

CONVENTIONAL TAPS

- LOTTA
- MOSSINI CRUZ
- MOSSINI METAL
- TÉVERE

KITCHEN FAUCET

- SIBEL
- EXO
- KAPPA
- UNTIL
- SAILORS
- CORSO

KITCHEN FAUCETDOUBLE HANDLE

- ERGO STICK
- MARANELLO
- THE BOOK
- NEW ISABELLA
- DELIA

TAPS UNDER CONTACT

- TIMERS
- CON SENSOR
- CON PEDAL

TAPS ACCESSORIES

AERATORS

BATHROOM ACCESSORIES

TAFF	
oz	
NARROW	
DESIGN	
RUBBISH	
STELLA	
MOSSINI	
PHILIP	

SHOWER COLUMNS

DIVA	
WINDS	
RIMINI	
PHILIP	


SHOWER RAILS

- ELEGANT GALA
- CURTAIN ROD
- **SHOWER** head
- SHOWER WAYS
- SHOWER TRAYS
- SHOWER ACCESSORIES
- SHOWER HOSES

VANITY FURNITURE

- LITTLE AMELIE ZOÈ ERMES MOYEN MINCE BELLE
 - MY
- RENEE
- FLASH
- BLANCHE
- MARIE

VANITY COVERS



FURNITURE / FINISHES COMPARISON

- COLORS AND FINISHES
- ACCESSORIES AND COMPLEMENTS

SANITARY

- ACROS PLUS
- ACROS DUAL
- ACROS MULTID DISCHARGE
- NEW ATOS DUAL
- ATOS HORIZONTAL/ VERTICAL
- CHRONOS
- ARES DUAL
- NEW ARES DUAL
- ACCESSORIES AND COMPLEMENTS

SEATING

- POLYPROPYLENE SEATS
- UREA SEATS

SANITARY KITS

RECEPTACLES

- SKIRTED RECEPTACLE
- RECEPTACLE WITH LATTICE

from

SKIRTED TUB

PARTITIONS

- FIXED SHEET SHOWER SCREEN
- FIXED PANEL PARTITION / TUB FOLDING PANEL
- SLIDING DOOR PARTITION + FIXED LEAF
- FOLDING DOOR SCREEN + FIXED SHOWER SHEET
- MATTE BLACK SHOWER SLIDE
- FOLDING PARTITION 1 LEAF

COMPLEMENTARY

- MIRRORS
- STABILIZING SQUARE
- STABILIZER BAR





stretto







NEW Line Sienna






SINGLE LEVER WASH BASIN

COD. 20SN5003400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.
- Includes: Horseshoe and flexible fixing set.





SINGLE LEVER BATHTUB FAUCET

COD. 20SN5203400

- Chromed brass body,
 1.75 m shower hose.
 1 Function shower shower
- head,
- with Detachable spray for easy cleaning and anti-scale.
- Ceramic closure 35 mm.

1

Includes: 2 S-Connector, 2 bells, flexible 1.50 mts., shower and BRACKET.



SINGLE LEVER SHOWER FAUCET

COD.20SN5303400

- Chromed brass body, 1.75 m shower hose.
- 1Function shower shower head,

with Detachable spray for easy cleaning and anti-scale. • Ceramic closure 35 mm.

1

Includes: 2 S-Connector, 2 bells, flexible 1.50 mts., shower and BRACKET.



SINGLE LEVER KITCHEN FAUCET

COD. 20SN5603400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.

Includes: Horseshoe and flexible fixing set.





NEW Line Taff





SINGLE LEVER WASHBASIN

COD. 20TA5003400

- Chromed brass body. •Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.
- Includes: Set of fixing by nut and flexible.



SINGLE LEVER BATHTUB FAUCET

COD. 20TA5203400

- Chromed brass body.
- 1F shower shower head, with detachable
- shower head for easy cleaning and anti-scale.

Includes: 2 S-Connector, 2 bells,

flexible 1.50 mts., shower and

Ceramic closure 35 mm

BRACKET.


~




SINGLE LEVER VERTICAL KITCHEN FAUCET


COD. 20TA5603400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- •Ceramic closure 35 mm.
- Includes: Set of fixing by nut and flexible.



















COD. 200Z5003400

- Chromed brass body.
- Connection by 2 35 cm
- Technoflex hoses.
- Ceramic closure 35 mm.
- Includes: Horseshoe and flexible fixing set.



SINGLE LEVER BATHTUB FAUCET

COD. 200Z5203400

- Chromed brass body.
 1F shower shower head, with
- Detachable spray for easy cleaning and anti-scale.
- Ceramic closure 35 mm.
- ✓ Includes: 2 S-Connector, 2 bells, flexible 1.50 mts., shower and BRACKET.



SINGLE LEVER SHOWER FAUCET

COD. 20SN5303400

- Chromed brass body.
- 1F shower shower head, with
- Detachable spray for easy cleaning and anti-scale.
- Ceramic closure 35 mm.
- Includes: 2 S-Connector, 2 bells, flexible 1.50 mts., shower and BRACKET.




SINGLE LEVER KITCHEN FAUCET


COD. 2200Z5603400

- Chromed brass body.
- Connection by 2 35 cm
- Technoflex hoses.
- Ceramic closure 35 mm.
- Includes: Horseshoe and flexible fixing set.




















COD. 20MZ5003400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 40 mm.
- Includes: Set of fixing by nut and flexible.



SINGLE LEVER BATHTUB FAUCET

COD. 20MZ5203400

- Chromed brass body, 1.75 m shower hose.
- 1F shower shower head, with detachable shower head for easy cleaning and anti-scale.
 Ceramic closure 40 mm.
- Includes: Set of fixing by nut and flexible.



SINGLE LEVER


SHOWER FAUCET


COD. 20MZ5303400

- Chromed brass body, 1.75 m shower hose.
- 1F shower shower head, with detachable
- shower head for easy cleaning and anti-scale.
- Ceramic closure 40 mm.


~

Includes: Set of fixing by nut and flexible.















Marseilles

Faithful reflection of a good design, captivating and elegant.



Available in finishes: Chrome / Brushed Nickel / Lascar Copper / Onyx Black / Atacama Gold



NEW Line Marseilles






SINGLE LEVER WASH BASIN

COD. 20MW5003400

- Chromed brass body.
- Connection by 2 35 cm
- Technoflex hoses.
- Ceramic closure 35 mm.





COD. 20MW5003480

NEGRO ONYX COD. 20MW5003440








SINGLE LEVER BATHTUB FAUCET

COD. 20MW5203400


- Chromed brass body, 1.75 m shower hose.
- 1F shower shower head, with detachable
- shower head for easy cleaning and anti-scale.
- Ceramic closure 35 mm.

Includes:2 S-Connector, 2 bells, flexible 1.50 mts., shower and BRACKET.



COPPER LASCAR COD. 20MW5003430

- ATACAMA GOLD COD. 20MW5003480
- NEGRO ONYX COD. 20MW5003440








SINGLE LEVER SHOWER FAUCET


COD. 20MW5303400

- Chromed brass body.
- 1F shower shower head, with detachable
- shower head for easy cleaning and anti-scale.
- Ceramic closure 35 mm.

Includes: 2 S-Connector, 2 bells, flexible 1.50 mts., shower and BRACKET.










SINGLE LEVER KITCHEN FAUCET

COD. 20MW5603400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.

✓ Includes: Fastfix and flexible fixing set.

BURNISHED NICKEL COD. 20MW5003410





COD. 20MW5003440








SINGLE LEVER IN WALL FAUCET

COD. 20MW5704400

- Chromed brass body.
- 1/2" HI threaded union.
- Ceramic closure 35 mm.










COD. 20DN5003400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 40 mm.
- Includes: Horseshoe and flexible fixing set.



BURNISHED NICKEL COD. 20DN5003410 NEGRO MATE

COD. 20DN5003420







SINGLE LEVER HIGH BASIN

COD. 20DN5803400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 40 mm.
- Includes: Set of fixing by nut and flexible.



SINGLE LEVER BATHTUB FAUCET

COD. 20DN5203400

- Chromed brass body, 1.75 m shower hose.
- 1F shower shower head, with
- Detachable spray for easy cleaning and anti-scale.
- Ceramic closure 40 mm..
- Includes: Set of fixing by nut and flexible.
 - BURNISHED NICKEL COD. 20DN5003410
 - NEGRO MATE COD. 20DN5003420




SINGLE LEVER SHOWER FAUCET


COD. 20DN5303400

- Chromed brass body, 1.75 m shower hose.
- 1F shower shower head, with
- Detachable spray for easy
- cleaning and anti-scale. • Ceramic closure 40 mm.
- Includes: 2 S-Connector 2
- Includes: 2 S-Connector, 2 bells, flexible 1.50 mts., shower and BRACKET.

BURNISHED NICKEL COD. 20DN5003410














SINGLE LEVER **KITCHEN FAUCET**

COD. 20DN5603400

- Chromed brass body.
- Connection by 2 35 cm
- Technoflex hoses.
- Ceramic closure 40 mm.
- ✓ Includes: Horseshoe fixing set and Flexibles.



COD. 20DN5003410 NEGRO MATE

COD. 20DN5003420








SINGLE LEVER IN WALL FAUCET

COD. 20DN5313400

- Chromed brass body.
- Ceramic closure 40 mm.









IN WALL FAUCET WITH **INVERTER**


AND SHOWER TRAY

- · Chromed brass body, flexible shower 1.75 m.
- 1F shower shower head, with detachable shower head for easy cleaning and anti-scale.
- Ceramic closure 40 mm.
- 30 cm shower tray.
- Water outlet.
- ✓ Includes: Plate, arm, flexible, shower head, and movable BRACKET.











COD. 20CM5003400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.
- Includes: Fastfix and flexible fixing set.



SINGLE LEVER BATHTUB FAUCET

COD. 20CM5203400

• Chromed brass body. • 1F shower shower head, with easy detachable sprayer cleaning and antitartar. • Ceramic closure 35 mm.

 Includes: 2 S-Connector, 2 bells, flexible, shower head and movable BRACKET.



1 =/

SINGLE LEVER SHOWER FAUCET

COD. 20CM5303400

• Chromed brass body. • 1F shower shower head, with easy detachable sprayer cleaning and antitartar. • Ceramic closure 35 mm.

Includes: 2 S-Connector, 2 bells, flexible, shower head and movable BRACKET.




SINGLE LEVER CHROME KITCHEN FAUCET

COD. 20CM5603400


- Chromed brass body.
- Connection by 2 35 cm
- Technoflex hoses.
- Ceramic closure 35 mm.


 Includes: Fast Fix installation set, 2 Technoflex hoses.

> BURNISHED NICKEL COD. 20AA5003410

















Aaron

Functional, simple and versatile, Arona is characterized by its straight faces and harmoniously contrasting curves.











SINGLE LEVER WASHBASIN

COD. 20AA5003400

- Chromed brass body. Connection by 2 40 cm
- Technoflex hoses.
- Ceramic closure 35 mm.
- Includes: Fastfix and flexible fixing set.




COD. 20AA5003430



NEGRO ONYX COD. 20AA5003440

NEGRO MATE COD. 20AA5203420









SINGLE LEVER BATHTUB FAUCET

COD. 20AA5203400

- Chromed brass body, 1.75 m shower hose.
- 1F shower shower head, with Detachable spray for easy
- cleaning and anti-scale. • Ceramic closure 35 mm.
- Includes: 2 S-Connector,2 bells, flexible, showerhead and movable BRACKET.



- COD. 20AA5003430
- ORO ATACAMA COD. 20AA5003480
- NEGRO ONYX COD. 20AA5003440
- NEGRO MATE COD. 20AA5203420





SINGLE LEVER SHOWER FAUCET

- Chromed brass body, 1.75 m shower hose.
- 1F shower shower
- Ceramic closure 35 mm.
- Includes: 2 S-Connector, 2 bells, flexible, shower head and movable BRACKET.




SINGLE LEVER KITCHEN FAUCET COD. 20AA5603400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses. head, with Detachable spray for easy cleaning and anti-scale.
- Ceramic closure 35 mm.
- Includes: Fastfix fixing set and 2 flexibles.













ALSO AVAILABLE IN **KITCHEN FAUCET • TUB SHOWER •** SHOWER



Con sistema de APERTURA EN FRÍO

INNOVACIÓN que permite un ahorro de agua y energía.

PRODUCTO CON EFICIENCIA HÍDRICA

www.stretto.cl @@stretto_chile f/stretto chile







COD. 20FI5003400

- Chromed brass body.
- · Ceramic cartridge with cold opening that allows energy savings.
- shower head with 90° rotation.
- Ceramic cartridge 25 mm.
- ConnectionBy 2 flexible Technoflex
- Consumption<9Lts/minat3bars. • Complies with Chilean
- standard Nch 700-2011.

Includes: Fast Fix installation set, 2 40 cm Technoflex hoses.








SINGLE LEVER

BATHTUB FAUCET


COD. 20FI5203400

- · Chromed brass body.
- shower head with 90° rotation.
- Ceramic cartridge 35 mm.
- Connection By 2 S-Connector SG 1/2".
- Consumption <9 Lts/min at 3 bars.
 Complies with Chilean standard Nch 700-2011.

Includes: 2 S-Connector, 2 bells, flexible 1.75 mts., shower head 1 function and movable BRACKET.











SINGLE LEVER SHOWER FAUCET


COD. 20FI5303400

- Chromed brass body.
- shower head with 90° rotation.
- Ceramic cartridge 35 mm.
 Connection By 2 S-Connector SG1/2".
- Consumption <9 Lts/min at 3 bars.
- · Complies with Chilean standard Nch 700-2011.
- Includes: 2 S-Connector, 2 bells, flexible 1.75 mts., shower head 1 function and movable BRACKET.



BRONCE ANDINO COD. 20FI5003481

GRAFITO AUSTRAL COD. 20FI5003421





NEW Line Philip



SINGLE LEVER **KITCHEN FAUCET**

COD. 20FI5603400

- Chromed brass body.
- · Ceramic cartridge with cold opening that allows energy savings.
- shower headwith 90° rotation.
- Ceramic cartridge 35 mm.
- Connection By 2 flexible Technoflex
- M10x1/2" HI of 40 cm.
- Consumption <9 Lts/min at 3 bars. • Complies with Chilean standard Nch 700-2011.
- Includes: Fast Fix installation set, 2 40 cm Technoflex hoses.
- BRONCE ANDINO COD. 20FI5003481









SINGLE LEVER IN WALL FAUCET


COD. 20FI5703400

- Chromed brass body.
- Ceramic cartridge 35 mm.
- shower head with 90° rotation.
- Connection to wall, with direct connection to pipes
- Consumption <9 Lts/min at 3 bars.
- Complies with Chilean standard Nch 700-2011.

Includes: 1/2" Hi threaded union installation system (Body).

BRONCE ANDINO COD. 20FI5003481











Supra

High presence and elegance with exclusive Biosafe technology with lead-free water conduction and silver nanoparticles that prevent the growth of new bacteria in the internal ducts.







COD. 20SU5003400

- Metallic outer body.
- Connection by 2 flexible Technoflex M10x1/2" HI of 40 cm.
- Internal water conduction with Biosafe technology independent of the body of the faucet.
- Includes: Fastfix and flexible fixing set.



SINGLE LEVER BATHTUB FAUCET

COD. 20SU5203400

- Metallic main body.1Fshower shower head, with
- Detachable spray for easy cleaning and anti-scale.
- Internal conduction of water with Biosafe technology independent from the body of the faucet.
- Includes: 2 S-Connector,2 bells, flexible, shower head and movable BRACKET.



SINGLE LEVER SHOWER FAUCET

COD. 20SU5303400

- Metallic main body.
- Connection by 2 SG
- S-Connector 1/2".
- Internal conduction of
- water with Biosafe technology independent from the body of the faucet.
- Includes: 2 S-Connector,2 bells, flexible, shower head and movable BRACKET.



SINGLE LEVER VERTICAL KITCHEN FAUCET


COD. 20SU5603400

- Metallic outer body.
- Connection by 2 flexible Technoflex M10x1/2" HI of 40 cm.
- Internal water conduction with Biosafe technology independent of the body of the faucet.
- Includes: Fastfix fixing set and 2 flexibles.


























SINGLE LEVER WASHBASIN

COD. 20GE5003400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 40 mm.
- <9 Lts/min at 3 bars (Water saving).
- Includes: Nut fixing set and 2 flexibles.



SINGLE LEVER BATHTUB FAUCET

COD. 20GE5203400

- Chromed brass body.
 1F shower shower head, with Detachable spray for easy
- cleaning and anti-scale. • Ceramic closure 40 mm.
- Includes: 2 S-Connector,2 bells, flexible, shower head and movable BRACKET.



SINGLE LEVER SHOWER FAUCET

COD. 20GE5303400

- Chromed brass body.
- 1F shower shower head, with Detachable spray for easy cleaning and anti-scale.
- Ceramic closure 40 mm.
- Includes: 2 S-Connector, 2 bells, flexible, shower head and movable BRACKET.




SINGLE LEVER VERTICAL KITCHEN FAUCET


COD. 20GE5603400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 40 mm.
- <9 Lts/min at 3 bars (Water saving).
- Includes: Horseshoe fixing set and 2 flexibles.













NUEVA TERMINACIÓN Grafijo Austral

Finishing available in Filippo Line Faucets and in

Rubo Accessories

Line New Standard



SINGLE LEVER WASHBASIN

COD. 20NS5003400

- Chromed brass body. •Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 25 mm.
- Includes: Fast Fix installation set and 2 flexibles.



SINGLE LEVER BATHTUB FAUCET

COD. 20NS5203400


- Chromed brass body.
- 1F shower shower head, 1.75 m shower hose.
- Ceramic closure 35 mm.
- Includes: 2 S-Connector, 2 bells, flexible, shower head and movable BRACKET.




SINGLE LEVER SHOWER FAUCET

COD. 20NS5303400


- Chromed brass body.
- 1F shower shower head, 1.75 m shower hose.
- Ceramic closure 35 mm.
- Includes: 2 S-Connector, 2 bells, flexible, shower head and movable BRACKET.













Line New Standard



stretto

1







COD. 20BA5003400

- Chromed brass body.
- shower head with a 90° turn that allows mixing the water temperature. • Ceramic cartridge 35 mm.
- Connection of 2 flexible
- Technoflex M10x1/2" HI of 35 cm.
- Consumption <9 Lts/min at 3 bars.
- Complies with Chilean standard Nch 700-2011.

✓ Includes: Horseshoe installation set, 2 Technoflex hoses.









SINGLE LEVER BATHTUB FAUCET

COD. 20BA5203400


- Chromed brass body.
- shower head with a 90° turn that allows mixing the water temperature. • Ceramic cartridge 35 mm.
- Connection by 2 SG 1/2" S-Connector.
- 12 Lt/Min. at 3 bars.
- * With restrictor application, it complies with consumption for CVS certification. (Maximum flow 8Lts./min. 5.5 bars). • Complies with Chilean standard Nch 700-2011.

Includes: 2 S-Connector, 2 bells, flexible, shower head and movable BRACKET.



stretto

NEGRO MATE COD. 20DN5003420







Arezzo

A compact and highly functional faucet, perfect for these more complex spaces, available in the classic chrome finish and the matt black locker.



Line Arezzo





SINGLE LEVER WASHBASIN

COD. 20ZZ5003400

- Chromed brass body.
- Connection by 2 Technoflex hoses.
- Ceramic closure 35 mm.
- Includes: Horseshoe installation set, 2 Technoflex hoses.









SINGLE LEVER BATHTUB FAUCET


COD. 20ZZ5203400

Chromed brass body.
1F shower shower head, with detachable shower head for easy cleaningand anti-scale.

- 1.75 m shower hose.
- Ceramic closure 35 mm.
- Includes: 2 S-Connector, 2 bells, flexible, shower head and movable BRACKET.



MATT BLACK COD. 20DN5003420








SINGLE LEVER SHOWER FAUCET

COD. 20ZZ5303400

Chromed brass body.
1F shower shower head, with Detachable spray for easy


- cleaning and anti-scale.
- 1.75 m shower hose.
- Ceramic closure 35 mm.
- Includes: 2 S-Connector, 2 bells, flexible, shower head andmovable BRACKET.

NEGRO MATE COD. 20DN5003420









Line Florence



SINGLE LEVER WASHBASIN

- Stainless steel body (SS304).
 Satin Stainless Finishing.
- Connection by 2 Technoflex hoses.
- Ceramic closure 35 mm.
- · Cold opening.

/Includes: Nut fixing set.

Code	include feature
20FO5003400	Only taps
20FO5003490	Taps plus cold opening






SINGLE LEVER BATHTUB FAUCET

COD. 20FO5203400

- Stainless steel body (SS304).
- Satin Stainless Finishing.
- 1Fshower shower head, with detachable shower head for easy
- cleaning and anti-scale. • 1.75 m shower hose.
- Ceramic closure 35 mm.
- ✓ Includes: S-Connector, bells, flexible, shower head and movable BRACKET.






stretto



SINGLE LEVER SHOWER FAUCET

COD. 20F05303400

- Stainless steel body (SS304).
- Satin Stainless Finishing.
- 1Fshower shower head, with detachable shower head for easy
- cleaning and anti-scale.
- 1.75 m shower hose.
- Ceramic closure 35 mm.
- Includes: S-Connector, bells, flexible, shower head and movable BRACKET.










KITCHEN FAUCET MIXER VERTICAL

- Stainless steel body (SS304).
 Satin Stainless Finishing.
 Connectionby 2 35 cm Technoflex
- hoses.
- •Ceramic closure 35 mm.

✓ Includes: Nut fixing set.

Code	include feature
20FO5603400	Only taps
20FO5603490	Faucet plus cold opening










SHOWER MIXER IN WALL FAUCET

COD. 20FO5703400

- Stainless steel body (SS304).
- SatinStainless Finishing.
- Wall connection, with connection direct to pipelines.
- Ceramic clasp 35 mm.
- Cold opening.
- Includes: 1/2" Hi threaded union installation system (Body).





PLOMO







COD. 20PI5003400

- Chromed brass body.
- shower head with a 90° turn that allows mixing the water
- temperature.
- Ceramic cartridge35mm.
- Connection of 2 flexible Technoflex M 10x 1/2" HI of 35cm.
- •Consumption <9 Lts/min at 3 bars.
- •Complies with Chilean standard Nch 700-2011.
- Includes: Horseshoe installation set and 2 Technoflex hoses.



SINGLE LEVER BATHTUB FAUCET

FAUCET COD. 20PI5203400

- Chromed brass body.
- shower head with a 90° turn that allows mixing the water temperature.
- •Ceramic cartridge35mm.
- Connection of 2 flexible
- Technoflex M 10x 1/2" HI of 35cm. •Consumption <9 Lts/min
- at 3 bars.

•Complies with Chilean standard Nch 700-2011.

 Includes: 2 S-Connector, 2 bells, flexible 1.75 mts., shower head 1 function and movable BRACKET.



SINGLE LEVER SHOWER FAUCET

COD. 20PI5303400

- Chromed brass body.
- shower head with a 90° turn that allows mixing the water temperature.
- •Ceramic cartridge35mm.
- Connection of 2 flexible
- Technoflex M 10x 1/2" HI of 35cm. •Consumption <9 Lts/min
- at 3 bars.

•Complies with Chilean standard Nch 700-2011.

 Includes: 2 S-Connector, 2 bells, flexible 1.75 mts., shower head 1 function and movable BRACKET.



SINGLE LEVER KITCHEN FAUCET

COD. 20PI5603400


- Chromed brass body.
- shower head with a 90°turn that allows mixing the water temperature.
 Ceramic cartridge35mm.
- Connection of 2 flexible Technoflex
- M 10x 1/2" HI of 35cm.
- •Consumption <9 Lts/min at 3 bars.
- •Complies with Chilean standard Nch 700-2011.
- Includes: Horseshoe installation set and 2 Technoflex hoses.






















COD. 20NP5003400

- High Resistance Polymer.
- shower head with a 90° turn allows mixing the water temperature.
- Aeratorwith Biosafe technology.
- Ceramic cartridge 35 mm.
- ConnectionBy 2 flexibles. Technoflex M10x1/2" HI of 35 cm.
- <9 Lts/min at 3 bars.</p>
- · Complies with Chilean standard Nch 700-2011.
- Includes: Horseshoe installation set, 2 35 cm Technoflex hoses.









SINGLE LEVER **BATHTUB FAUCET**

COD. 20NP5203400

- High Resistance Polymer.
- shower head with a 90° turn allows mixing the water temperature.
- Aeratorwith Biosafe technology.
- Ceramic cartridge 35 mm.
 Connection By 2 S-Connector
- SG 1/2".
- <9 Lts/min at 3 bars.</p>
- · Complies with Chilean standard Nch 700-2011.

Includes: 2 S-Connector, 2bells,

flexible 1.75 mts., shower head

1/2"H

ONDUCCIÓN

LIBRE DE

PLOMO

1 function and movable


BRACKET.



SINGLE LEVER SHOWER FAUCET

COD. 20NP5303400

- High Resistance Polymer.
- shower head with a 90° turn allows mixing the water temperature. • Aeratorwith Biosafe technology.
- Ceramic cartridge 35 mm.
 Connection By 2 S-Connector SG 1/2".
- <9 Lts/min at 3 bars.</p>
- · Complies with Chilean standard Nch 700-2011.
- Includes: 2 S-Connector, 2 bells, flexible 1.75 mts., shower head 1 function and movable BRACKET.









SINGLE LEVER **KITCHEN FAUCET**

COD. 20NP5613400

- High Resistance Polymer.
- shower head with a 90° turn allows mixing the water temperature. •Aeratorwith Biosafe technology. •Ceramic cartridge 25mm. •Connection By 2 S-Connector SG
- 1/2"
- •<9Lts/minat3bars.
- · Complies with Chilean standard Nch700-2011.

Includes: Horseshoe installation set, 2 35 cm Technoflex hoses.









SINGLE LEVER WASHBASIN

COD. 20VE5003400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.
- ✓ Includes: Horseshoe
- fixing set and Flexibles.



SINGLE LEVER BATHTUB FAUCET

COD. 20VE5203400

Chromed brass body
1F shower shower head, shower hose 1.75 mts.
Ceramic closure 35 mm.

Includes: S-Connector, bells, flexible, shower head and movable

BRACKET.



SINGLE LEVER SHOWER FAUCET

COD. 20VE5303400

 Chromed brass body
 IF shower shower head, shower hose 1.75 mts.
 Ceramic closure 35 mm.


Includes: S-Connector, bells, flexible, shower head and movable BRACKET.



SINGLE LEVER VERTICAL KITCHEN FAUCET

COD. 20VE5603400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.
- Includes: Horseshoe and flexible fixing set.
















modena

Style marked by its straight lines and great presence in spaces.







SINGLE LEVER WASHBASIN

COD. 20MD5003400

- Polymer main body high resistance.
- Ceramic closure 25 mm.
- Connection by 2 35 cm Technoflex hoses.
- Includes: Horseshoe and flexible fixing set.

NEGRO MATE COD. 20DN5003420









SINGLE LEVER BATHTUB FAUCET

COD. 20MD5203400

 Polymer main body high resistance.

BRACKET.

- Ceramic closure 35 mm.
- 1F shower shower head, 1.75 m shower hose.
- ✓ Includes: S-Connector, bells, flexible,shower head and movable
 - NEGRO MATE COD. 20DN5003420

ONDUCCIÓN

LIBRE DE


PLOMO



SINGLE LEVER SHOWER FAUCET

COD. 20MD5303400

- High resistance plastic polymer main body.
- Ceramic closure 35 mm.
- 1F shower shower head, 1.75 m
- shower hose.
- Includes: S-Connector, bells, flexible, shower head and movablebracket.






SINGLE LEVER KITCHEN FAUCET

COD. 20MD5603400

- High resistance plastic polymer main body.
- Ceramic closure 35 mm.
- Connection by 2 35 cm Technoflex hoses.
- Includes: Horseshoe and flexible fixing set.



















Thir

TAPS CONVENTIONAL





Line Struggle



MONOBLOCK CHROME BASIN

COD. 20LT3503400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Non-displaceable stem.
- Includes: Horseshoe and flexible fixing set.

COPPER LÁSCAR COD. 20AA5003430



DOUBLE HANDLE CHROME SHOWER TUB

COD. 20LT3003400

- Chromed brass body.
 1F shower shower head, with Detachable spray for easy
- cleaning and anti-scale. • Non-displaceable stem.
- Includes: Bells, flexible, shower head and movable BRACKET.



DOUBLE HANDLE SHOWER FAUCET

COD. 20LT2503400

- Chromed brass body.
- 1F shower shower head, with Detachable spray for easy cleaning and anti-scale.
- Non-displaceable stem.
- Includes: Bells, flexible, shower head and movable BRACKET.




DOUBLE HANDLE KITCHEN FAUCET


COD. 20LT1003400

- Chromed brass body, connection by 1/2" HE threaded union.
- Non-displaceable stem.
- ✓ Includes: Nut fixing set.















Line Mossini Cruz



KEY WASHBASIN

COD. 20MC0103400

- Chromed brass body.
- Connection by 1/2 HE
- threaded union. • Non-displaceable stem.
- Includes: Nut fixing set and hot water identifier.



MONOBLOCK WASHBASIN

COD. 20MC3503400

- Chromed brass body.
 Connection by 2 35 cm Technoflex hoses.
- Includes: Horseshoe and flexible fixing set.



DOUBLE HANDLE KITCHEN FAUCET 8"

COD. 20MC1003400

- Chromed brass body.
- Connection to water intake by 1/2 HE threaded union.
- Includes: Nut fixing set.




MONOBLOCK KITCHEN FAUCET

COD. 20MC4003400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Includes: Horseshoe and
- flexible fixing set.
















Line Mossini Metal



KEY WASHBASIN

COD. 20MS0103400

- Chromed brass body.
- Non-displaceable stem.
- Includes: Nut fixing set and hot water identifier.



MOSSINI CRYSTAL WASHBASIN FAUCET

COD. 20MS0102400

- Chromed brass body.
- Transparent acrylic
- shower head • Non-displaceable stem.
- Includes: Horseshoe fixing set.



MONOBLOCK WASHBASIN

COD. 20MS3501400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Non-displaceable stem.
- Includes: Horseshoe and flexible fixing set.



DOUBLE HANDLE BATHTUB FAUCET


COD. 20MS3101400

- Chromed brass body.
- 1 F. shower shower head
- with 1.75 mts.
- Non-displaceable stem.
- Includes: Bells, flexible,
 shower head and movable BRACKET.
















Line Mossini Metal



DOUBLE HANDLE SHOWER FAUCET

COD. 20MS2501400

- Chromed brass body.
- 1 F. shower shower head
- with 1.75 mts.
- Non-displaceable stem.
- Includes: Bells, flexible, shower head and movable BRACKET.



DOUBLE HANDLE KITCHEN FAUCET 6" TO WALL

COD. 20MS1101400

Chromed brass body. Non-displaceable stem.

✓ Includes: Nut fixing set.



1 1 2

1

MONOBLOCK KITCHEN FAUCET

COD. 20MS4001400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Non-displaceable stem.
- Includes: Horseshoe and flexible fixing set.



DOUBLE HANDLE FLAT KITCHEN FAUCET

COD. 20MS1001400

- Chromed metallic body.
- Connection to water intake
- by 1/2" HE threaded union.
- Non-displaceable stem.
- Includes: Nut fixing set.













Line MANILLA





KEY WASHBASIN

COD. 20MS0101401

Chromed brass body.

- Connection by 1/2" HE threaded union.
- Non-displaceable stem.

Includes: Nut fixing set.



MONOBLOCK KITCHEN FAUCET VERTICAL 1 MANILLA

COD. 20FO5203400

- Stainless steel body (SS304).
 Satin Stainless Finishing.
 1F shower shower head, with
- easy detachable sprayer cleaning and anti-tartar. 1.75 m shower hose.
- Ceramic closure 35 mm.

√Includes: S-Connector, bells, flexible, shower head and movable BRACKET.




DOUBLE HANDLE **KITCHEN FAUCET 8**"

COD. 20MS1001401


- Chromed brass body.
- Connection to water intake by 1/2" HE threaded union.
- Non-displaceable stem.

✓ Includes: Nut fixing set.















MOSSINI METAL WASHING MACHINE KEY

COD. 20MS0404401

- Chromed brass body.
- Opening of the water passage with counterclockwise rotation.
- With 1/2 x 3/4 phalanx.
- Non-displaceable stem.

✓ Includes: Bell.




MOSSINI METAL WASHING MACHINE KEY


COD. 20MS0404400

- Chromed brass body.
- Opening of the water passage with counterclockwise rotation.
- With 1/2 x 3/4 phalanx.
- Non-displaceable stem.

✓ Includes: Bell.













DESIGN YOUR KITCHEN KITCHEN FAUCET

Single shower head MOVABLE KITCHEN FAUCET



KITCHEN FAUCET MIXER VERTICAL MOVABLE SPOUT SIBEL

COD. 20SX5603400

- Chromed brass body.
- Flexible MOVABLE covered in fibers of terylene/pvc. •Steel MOVABLE spout spring stainless.
- Steel MOVABLE Spoul Spring Stamless
- Two function aerator, ABS body.
- Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 40 mm.
- Includes: Set of fixing by nut and flexible.



KITCHEN FAUCET MIXER VERTICAL MOVABLE SPOUT EXO

COD. 20EX5603400

- Chromed brass body.
 Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.

flexible.




KITCHEN FAUCET MIXER WITH REMOVABLE KAPPA SPOUT


COD. 20KP5603400

- Chromed brass body.
- Connection by 2 35 cm Technoflex hoses.
- Removable spout with built-in aerator.
- Ceramic closure 35 mm.

Includes: Fastfix fixing set .







stretto

Includes: Set of fixing by nut and










KITCHEN FAUCET MIXER UNTIL

COD. 20AI5603400

• Chromed brass body. Connection by 2 35 cm Technoflex hoses.

- Ceramic closure 35 mm.
- Includes: Fast Fix installation set, 2 40 cm Technoflex hoses.






KITCHEN FAUCET MIXER ALTO VERTICAL VELETRI

COD. 20VL5603490

- Chromed brass body. • Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.
- ✓ Includes: Fastfix fixing installation set, 2 Technoflex hoses.



STAINLESS STEEL COD. 20FO5003400




stretto



KITCHEN FAUCET MIXER VERTICAL COURSE

COD. 20CO5603400

- Chromed brass body. •Connection by 2 35 cm Technoflex hoses.
- Ceramic closure 35 mm.
- Includes: Fast Fix installationset, 2 35 cm Technoflex hoses.





DOUBLE HANDLE KITCHEN FAUCET



COD. 20ER1103000

- Chromed brass body.
- 1/4 turn stem.
- Ergonomic handles.

✓Includes: Nut fixing set.



KITCHEN FAUCET DOUBLE HANDLE

MARANELLO COD. 20LL1003400

- High resistance polymer body with metallic inserts.
- Non-displaceable stem.
- Stainless steel spout.

Includes: Horseshoe and flexible fixing set.



MONOBLOCK KITCHEN FAUCET MARANELLO

COD. 20LL4003400

- High resistance polymer body with metallic inserts.
- 1/4 turn stem.
- Stainless steel spout.

✓ Includes: Nut fixing set.











stretto

25.5 192.2 21.5⁻





DOUBLE HANDLE KITCHEN FAUCET



KITCHEN FAUCET DOUBLE HANDLE8"

COD. 20BO1503400

- Chromed brass body.
- Connection by 2 35 cm
- Technoflex hoses.
- Ceramic closure 35 mm.

Includes: Nut fixing set.



KITCHEN FAUCETDOUBLE HANDLE 8" NEW ISABELLA

COD. 20NI1003000

- Chromed brass body.
- Non-displaceable stem.
- Stainless steel spout.

✓ Includes: Nut fixing set.



KITCHEN FAUCET DOUBLE HANDLE8" DELIA

COD. 20DE1003400

- Stainless Steel (SS304).
- Non-displaceable stem.
- · Handles with anticlockwise opening.
- Stainless steel spout.
- By 2 flexible 1/2" HI-HI (Not included).
- >9 Lt/Min. at 2.5 bars.
- Includes: Nut fixing set.

















TAPS UNDER CONTACT






faucets Bajo Contacto



Connection by 1/2" HE

- threadedunion.
- Timed closing.

✓ Includes: Nut fixing set.





TIMER HANDSINK 1/2" WOL COD. 20WL7004400

- Chromed brass body.
- Timed closing.

✓ Includes: Nut fixing set.




TIMER 1/2" HANDSINK COD. 20ST7004400

Chromed brass body.Connection by 1/2" HE

threadedunion.

• Timed closing.

✓ Includes: Nut fixing set.









faucets **Bajo Contacto**



SINGLE LEVER **TOUCH KITCHEN FAUCET**

COD. 20GT7603400

- For 2 flexible Technoflex 1/2" HI.
- · shower head with a 90° turn that allows mixing the water temperature. It uses 4 AA batteries of 1.5 Volts.
- · Complies with water saving regulations.
- Includes: Installation set with fixing nut, 2 Technoflex hoses, hose for water outlet, induction valve and battery mounting.



STAINLESS STEEL COD. 20GT7603400





ELECTRONICA WASHBASIN

COD. 20GS7003400

- · Chromed brass body.
- By 2flexible technoflex 1/2". Modernfaucets that have an infrared sensor, the water falls automatically when it is hands
- approach. · Complies with water saving regulations.
- Includes: Installation set by fixing nut.



KITCHEN FAUCET

COD. 20GS7603400


- Chromed brass body.
- By 2flexible technoflex 1/2".
- · Modernfaucets that have an infrared sensor, the water falls automatically when it is hands approach
- · Complies with water saving regulations.
- Includes: Installation set by fixing nut.




KITCHEN FAUCET CON PEDAL

COD. 20GP7203400

- Chromed brass body.
- By 2flexible Technoflex 1/2" of 100 cm.
- Modern taps that have a pedal, the water falls when pressed and
- closes when released.
- · Complies with water saving regulations.
- Includes: Installation set by fixing nut, 2 Technoflex hoses.















aerators

 \geq



 Casing: Brass. Aerator: High Resistance Polymer.
 Fitting by thread (HE).





 Casing: Brass. Aerator: High Resistance Polymer.
 Shimby thread (HI).





AIRCRAFT BATH M24MM

COD. 21RP5000010

Casing: Brass. Aerator: High Resistance Polymercia.
Shim by thread (HE).







KITCHEN AERATOR M24MM

COD. 21RP5000011

• Chromed brass body. •Connection by 1/2" HE threaded union. •Timed closing.







COD. 21RP5000001

• Casing: High Resistance Polymer.

• Shimby thread (HI).

Aerator: High Resistance Polymer.



COD. 21RP5000004

Casing: Brass. Aerator: High Resistance Polymer.
Shim by thread (HI).



aerators



TIMER URINAL 1/2"

COD. 21RP5000014 • Casing: Brass.

Aerator: High Resistance Polymer.

• Fittingby thread (HI).





AIRCRAFT TWO FUNCTION BATHROOM

COD. 21RP5000015

• Casing: Brass.

Aerator: Polyoxymethylene (POM) and silicone.

• Shim by thread (HE).





KIT AERATORS AND KEY

COD. 21RP5000017

Casing: Brass
 Aerator: High Resistance Polymer.

• M22 Shim by thread (HI) M24 Shim by thread (HE).

✓ Includes: Key for installation.



AERATOR WITH SENSOR KITCHEN FAUCET

COD. 21RP5000016


High Resistance Polymer (ABS).Shimby thread (HI).

✓ Includes: USB cable for battery recharging.









ACCESSORIES BATHROOM

T



Taff

21111




PAPER CASE

COD. 21TA0000100

BURNISHED








TOWEL RING

COD. 21TA0000101


BURNISHED NICKEL COD. 21TA0000110





10

L.




Ozka

1111




PAPER CASE





TOWEL HOOK COD. 210Z0000101







2 ANOS



SOAP HOLDER
COD. 210Z0000106





Ozka PAPER CASE TOWEL RING **TOWEL BAR 45 CM** COD. 210K0000100 COD. 210K00000101 COD. 210K0000103 485 431 411 $(\alpha$ D 2 TOWEL HANGER SOAP HOLDER COD. 210K0000104 COD. 210K0000106 140

Dessin


:|||||||



TOWEL HANGER COD. 21DN0000104 **BURNISHED NICKEL** CODE 1DN0001104 NEGRO MATE COD. 21DN0002104 80 35 0 20 18,5

stretto

Rubo



Stella




Set Accesorios Mossini




BATHROOM ACCESSORIES SET 5 PCS.

COD. 21MS0000100






shower columns



shower columns




 Includes: Fixing set, flexible hoses and shower head BRACKET.





- Standard 1/2" connection.
- Brass and ABS material.
- Adaptable tooutdoor shower.
- Chrome finish.
- Includes: Fixing set and BRACKET for shower head.








SHOWER COLUMN PHILIP COD. 20FI6003400

- Standard 1/2" connection.
- Brass and ABS material.
- Adaptable tooutdoor shower.
- Chrome finish.
- Includes: Fixing set, flexiblehoses and shower head BRACKET.
 - ANDEAN BRONZE
 - CODE. 20FI6003481
- GRAFITO AUSTRAL COD. 20FI6003421





shower bars



SHOWER RAIL WITH BRACKET ADJUSTABLE ELEGANT

COD. 21ST4000004

- · Shower column with extendable arm and 20 cm plate.
- shower head 5 functions.
- Adaptable to outdoor shower.

Includes: Fixing set.



NICKEL COD. 21ST4000012





SHOWER BAR WITH MANNERAL AND FLEXIBLE GALA

COD. 21ST4000005

- Shower column with a 20 cm tray.
- shower head 5 functions
- Adaptable to outdoor shower.
- Includes: Fixing set, shower head

3 functions and Flexible.









shower bars






CURTAIN RODS SHOWER

COD. 21ST1600003


- Rod for shower curtains 90 cm (extendable from 90 to 160 cm)
- Stainless Steel.
 Chrome finish.












stretto





'8





stretto









shower trays

-111111



SHOWER PLATE SLIM COD. 21ST6000020

• Shower tray 20 cm.

Material SS304

✓ Includes: Restrictor.



SHOWER PLATE SQUARE COD. 21ST6000018

Shower tray 20 cm.

• Vertical position that allows greater

pressure in the fall of water.

• 1 function.

✓ Includes: Restrictor.







SHOWER PLATE CHROME/BLACK COD. 21ST6000016

Shower tray 20 cm.

- Vertical position that allows greater pressure in the fall of water.
- 1 function.




shower complements



stretto

shower hoses



stretto



BATHROOM FURNITURE AND ACCESSORIES

-

P

Q)

NEW MADE BIES

AMELIE BELLE ERMES MÈLE MOYEN LITTLE RENEE ZOÈ

115



Π,

cantos sellados

• Cantos 100% sellados y reforzados que evitan el despegado.

baja absorción

• Resistencia a la humedad debido a sus cantos sellados.

alta durabilidad

• Resistance to loads and/or repetitive movements over time.

cierre suave

• Hinges and tracks with soft and silent closing.

ajuste seguro

• Sistema de instalación que impide el desplazamiento vertical de la repisa .

diseño interior

Modular design.

• Interior shelves or drawers that help optimize space.

- * Diseño sin manillas con superficies lisas.
- * Bisagras de acero inoxidable con sistema Cierre Suave.
- * Resistencia máximo 150 Kg.
- * Fabricado en MDF o MDP (modelos Amélie y Zoe).
- * Cumple con norma Europea E1 para emisión de formaldehidos.

* Incluye refuerzo metálico para instalación y set de fijaciones al muro estándar.

























Furniture & Vanitoros



BATHROOM FURNITURE

- Design with a reversible installation door and center shelf.
- Hinge with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDF.
- Complies with European standard E1 for formaldehyde emission.
- Easy wall anchoring installation.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.




Finishing	Width mm	High mm	Code
Lenga			60PB2803300
Roble	460 575	575	60PB2803305
Nogal			60PB2803320





BATHROOM FURNITURE AMELIE

- Handleless design with smooth surfaces.
- Hinge with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDP.
- Complies with European standard E1 for formaldehyde emission.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.





Finishing	Width mm	High mm	Code	Finishing	Width mm	High mm	Code
Albayalde			60PZ2802706	Albayalde		1	60PZ2805706
Acacia	490		60PZ2802707	Acacia	790		60PZ2805707
Ulmo			60PZ2802709	Ulmo		450	60PZ2805709
Albayalde		1	60PZ2801706	Albayalde]	60PZ2806706
Acacia	590	450	60PZ2801707	Acacia	890		60PZ2806707
Ulmo			60PZ2801709	Ulmo			60PZ2806709
Albayalde			60PZ2804706		Ref.		
Acacia	690		60PZ2804707				
Ulmo			60PZ2804709				






Furniture & Vanitoros



BATHROOM FURNITURE ZOÈ

- Handleless design with smooth surfaces.
- Hidden slide with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDP.
- Complies with European standard E1 for formaldehyde emission.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.






Finishing	Width mm	High mm	Code	Finishing Width		High mm	Code
Albayalde			60PZ2802806	Albayalde			60PZ2805806
Acacia	490		60PZ2802807	Acacia	790		60PZ2805807
Ulmo			60PZ2802809	Ulmo			60PZ2805809
Albayalde		1	60PZ2801806	Albayalde		500	60PZ2806806
Acacia	590	500	60PZ2801807	Acacia	890	500	60PZ2806807
Ulmo			60PZ2801809	Ulmo			60PZ2806809
Albayalde		1	60PZ2804806	Ulmo	1000	1	60PZ2807809
Acacia	690		60PZ2804807	Ulmo	1200	1	60PZ2808809
Ulmo			60PZ2804809				





BATHROOM FURNITURE ERMES

- Handleless design with smooth surfaces.
- Hinge with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDF.
- Complies with European standard E1 for formaldehyde emission.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.



Finishing Width		High mm	Code
Lenga			60PB2801000
Roble	600	450	60PB2801005
Nogal			60PB2801020
Lenga			60PB2804000
Roble	700	450	60PB2804005
Nogal			60PB2804020
Lenga	800	450	60PB2805020
Lenga	900	450	60PB2806020
Lenga	1200	450	60PB2808020
Lenga	R	oble	Nogal


Furniture & Vanitoros





BATHROOM FURNITURE MOYEN

- Design with a reversible installation door and center shelf.
- Hinge with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDF.
- Complies with European standard E1 for formaldehyde emission.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.




, moning	mm	mm	Code
Lenga			60PB2802300
Roble	500	500	60PB2802305
Nogal			60PB2802320





BATHROOM FURNITURE MINCE

- Handleless design with smooth surfaces.
- Hinge with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDF.
- Complies with European standard E1 for formaldehyde emission.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.



Finishing	Broad mm	High mm	Code
Nogal	1		60PB2802420
UV Matt Graphite Gray	500		60PB2801325
Nogal			60PB2801420
Negro Mate UV	600	650	60PB2801442
Lenga	000	0.50	60PB2804400
Nogal	700		60PB2804420
Lenga	800		60PB2805400
Nogal	900		60PB2806420




Furniture & Vanitoros



BATHROOM FURNITURE BELLE

- · Handleless design with smooth surfaces.
- Hidden slide with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDF.
- Complies with European standard E1 for formaldehyde emission.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.




Finishing	Width mm	High mm	Code	Finishing	Width mm	High mm	Code
Lenga			60PB2801200	Lenga			60PB2806200
Nogal	590		60PB2801220	Nogal	890		60PB2806220
Roble			60PB2801205	Roble			60PB2806205
Lenga		1	60PB2804200	Lenga		1	60PB2807200
Nogal	690	500	60PB2804220	Nogal	990	500	60PB2807220
Roble			60PB2804205	Roble			60PB2807205
Lenga		1	60PB2805200	Lenga		1	60PB2808200
Nogal	790		60PB2805220	Nogal	1190		60PB2808220
Roble			60PB2805205	Roble			60PB2808205





BATHROOM FURNITURE MY

- Handleless design with smooth surfaces.
- Hidden slide with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDF.
- Complies with European standard E1 for formaldehyde emission.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.



Finishing	Width mm	High mm	Code
Lenga	690	500	60PB2804600
Graphite Gray			60PB2804643




Furniture & Vanitoros



BATHROOM FURNITURE RENEE

- · Handleless design with smooth surfaces.
- Hidden slide with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDF.
- Complies with European standard E1 for formaldehyde emission.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.



Finishing	Width	High	Code	Finishing	Width	High	Code
	mm	mm		-	mm	mm	
Blanco	490		60PB2802140	Roble	690		60PB2804105
Blanco			60PB2801140	Blanco		500	60PB2805140
Lenga	7 500		60PB2801100	Lenga	790		60PB2805100
Nogal	590	500	60PB2801120	Nogal	790		60PB2805120
Roble	1	500	60PB2801105	Roble			60PB2805105
Blanco		1	60PB2804140	Blanco	890		60PB2806140
Lenga	690		60PB2804100	Blanco	990		60PB2807140
Nogal	1		60PB2804120	Blanco	1190	1	60PB2808140

Roble

Lenga

Blanco


stretto

Nogal



BATHROOM FURNITURE **RENÈE DOUBLE DRAWER**

- · Handleless design with smooth surfaces.
- Hidden slide with soft closing system.
- Maximum resistance 150 Kg.
- Material: MDF.
- Complies with European standard E1 for formaldehyde emission.
- Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.



Finishing	Width	High	Code
	mm	mm	
Blanco	1200	550	60PB2808141



Furniture & Vanitoros






BATHROOM FURNITURE FLASH

- Handleless design with smooth surfaces.Hidden slide with soft closing system.
- Maximum resistance 150 Kg.
- LED light with touch sensor.
- Material: MDF.
- Complies with European standard E1 for formaldehyde emission.

Includes: Metallic reinforcement for installation and Set of fixings to the standard wall.



Finishing	Width mm	High mm	Code
Lenga	890	500	60PB2806900







BATHROOM FURNITURE BLANCHE

- Design with handles.
- Maximum resistance 150 Kg.
- Door material: MDO.
- Furniture body material:MDP
- Central shelf.
- Steel hinges with "Soft Closing" system.

Includes: Set of fixings to the standard wall.



Finishing	Broad mm	High mm	Code
Blanco	550	795	60PB2801546

Blanco



BATHROOM FURNITURE MARIE

- Design with handles.
- Maximum resistance 150 Kg.
- Door material: MDF.
- Furniture body material:MDP
- Central shelf.

stretto

• Steel hinges with "Soft Closing" system.

Includes: Set of fixings to the standard wall.



Finishing	Broad mm	High mm	Code
Blanco	550	795	60PB2801746





Furniture & Vanitoros






VANITY COVER BLANCHE/MARY

- "A" quality without repairs on the visible surface.
- Vitreous Earthenware.
 Complies with NCh 407 standard.

✓ Includes: High flow overflow.



Broad mm	Depth mm	Code
600	435	60PB2401500



VANITY COVER LITTLE

- · Angles and slopes of 2° towards the drain.
- "A" quality without repairs on the visible surface.
- Vitreous Earthenware.
- Complies with NCh 407 standard.

310

✓ Includes: High flow overflow.

75

Depth

stretto

mm

260

Code

60PB2401014

Broad

mm


450



VANITY COVER AMÉLIE/ZOÈ

- Angles and slopes of 2° towards thedrain.
- "A" quality without repairs on the
- visible surface.
- Vitreous Earthenware.

Includes: Set of fixing by nut and flexible.



Broad mm	Depth	Code
500		60PZ2401007
600		60PZ2401008
700		60PZ2401009
800	460	60PZ24201010
900		60PZ2401011
1000		60PZ2401012
1200		60PZ2401013











VANITY COVER

MEDIUM / ERMES / BEAUTIFUL/ MIXED / **RENEE/ RENEE DOBLE / LIGHTNING**

- Vitreous Earthenware.
 Angles and slopes of 2° towards the drain.
 "A" quality, without repairs on the visible surface.
 High flow overflow.









Name	Broad mm	Depth mm	Code
Moyen / Ermes / Mince	510		60PB2401007
Ermes / Belle/ Renèe / Mince	610		60PB2401008
Ermes / Belle / Renew/ Méle/ Mince	710	460	60PB2401009
Ermes / Bell / Renèe / Mince	810	400	60PB2401010
Ermes / Belle / Lightning / Mince	910		60PB2401011
Ermes / Belle / Renèe Doble / Mince	1010		60PB2401012
Hermes / Belle/	1210		60PB2401013









Vanitoros Dust jacket



OVERCOVER VANITORY REDONDO

COD. 60PB2303000

• Vitreous Earthenware.

"A" quality, without

repairs on the visible surface.



DUST JACKET RECTANGULAR

COD. 60PB2301000

• Vitreous Earthenware.

- "A" quality, without
- repairs on the visible surface.





HANDSINK KIT FOR DISABLED

COD. 60PB2101002

Vitreous Earthenware.
Wallfixing.
Perforation for mixer tap and drain 1 1/4".
Weight:13.1kg.

✓ Includes: Set of brackets and fixings.









You can accompany these products with a:











stretto[®]

COLORS AND ENDINGS	PETIT	AMELIE	ZOÈ	ERMES	MOYEN
ACACIA		٠	٠		
ALBAYALDE		٠	٠		
BLANCO	•			•	•
BLANCO BRILLANTE UV	٠	٠	٠	•	•
BLANCO MATE UV	٠	٠	•	•	•
GRIS GRAFITO UV	٠	٠	٠	•	•
LENGA	•			•	•
NOGAL	•			٠	•
NEGRO BRILLANTE UV	•	•	٠	٠	٠
NEGRO MATE UV	٠		٠	•	٠
ROBLE	٠			•	٠
ULMO		•	•		
VISON LIGHT UV		٠	٠		

MINCE	BELLE	MÉLE	RENEE	ECLAIR	BLANCHE	MARIE

	٠	٠	٠		٠	٠
	٠	٠	٠			
	٠	•	•			
٠	٠	٠	٠			
٠	٠	٠	٠	٠		
٠	٠	٠	٠	٠		
٠	٠	٠	٠			
	٠	٠	٠			
	٠	٠	٠	٠		



Accessories and complements












ACROS PLUS

- Dual Wash Down discharge drive.
 Internal admission: 15"-16".
 Seat and lid with Soft Close hinges for easy installation.
- Cupweight 25 Kg. and stake 15 Kg.
 Seat height complies with Decree 50 of Law 20,422.
 Major discharge 4.8 Minor discharge 3.5 Liters

SANITARY **NEW ATOS DUAL**

- Dual Wash Down discharge drive.
- Internal admission: 15"-16".
 Seat and lid with Soft Close hinges for easy installation.
 Cupweight 25 Kg. and pond 15 Kg.
 Major discharge 4.8 Minor discharge 3.4 Liters

✓ Includes: Fixings to the bowl, intake valve, discharge valve, rectangular discharge button and fixings to the floor and pond.



Core products:


Code	Element
60PB1204100	Cup with fixing set
60PB3001113	pond with mechanisms
60PB1901017	Polypropylene seat and cover, soft close
60PB1901016	Uurea soft close seat and cover

Complements:

Code	Element
60PB1007100	Vertical outlet sleeve to floor: 210mm
60PB1007100	Vertical outlet sleeve to floor: 300mm
60PB1007100	Horizontal outlet sleeve to wall: 210mm



Includes: Seat to bowl fixings, intake valve, discharge valve, button panel and floor fixings for bowl.



Core products:

Code	Element
60NT1204000	Bowl with fixing set
60NT3001000	Pond with mechanisms
60NT1901000	Polypropylene seat and cover, soft close
60PB1901016	Uurea soft close seat and cover

Complements:

Code	Element
21PB3001006	Vertical outlet sleeve to floor: 210mm
21PB3001020	Horizontal outlet sleeve to wall: 180mm



stretto

Sanitary



SANITARY **ATOS HORIZONTAL / VERTICAL**

- Dual Wash Down discharge drive.
 Internal admission: 15"-16".
 Seat and lid with Soft Close hinges for easy installation.
- Cupweight 25 Kg. and stake 15 Kg. Major discharge 4.8 Minor discharge 3.4 Liters



SANITARY CHRONOS

- Dual Wash Down flush activation, with double flush button.
- Washing system is open ring "RimLess" Internal intake: 15"-16".
- •Seat and lid with Soft Close hinges for easy installation.

panel, fixings to the floor and pond, lid and seat).

- Cup weight 31.6 Kg. and stake 13 Kg.
 Major discharge 4.5 Minor discharge 3 Liters


Includes: Soft close seat.



Core products:

Code	Element
60PB1006000	Cup with fixing set
60PB3001011	Pond with mechanism
60PB3001011	Pond with mechanism
60PB1901050	Polypropylene seat and cover, soft close
60PB1901015	Seat and lid Uurea soft close





✓ Includes: Fixings to the bowl, intake valve, discharge valve,button

Core products:

Code	Element
60PB1201065	Cup with fixing set
60PB3001065	Pond with mechanism
60PB1901065	Uurea soft close seat and cover

Complements:

Code	Element
60PB1007100	Vertical outlet sleeve to floor: 210mm
60PB1007100	Vertical outlet sleeve to floor: 300mm
60PB1007100	Horizontal outlet sleeve to wall: 210mm









SANITARY ARES DUAL


• Dual Wash Down discharge drive.

- Internaladmission: 15"-16".
- Seat and lid with Soft Close hinges for easy installation.

•Cup weight 25 Kg. and stake 15 Kg.

• Major discharge 6 - Minor discharge 4.1 Liters

Includes: Fixing kit and lid-pond seal.



Kit:

Code	Cup
60PB1201050	with Fixing Set.
60PB3001050	Pond with Mechanism.
60AR1904000	Seat and Cover PP.Soft close.
60PB1901015	Asiento y Tapa Urea Soft close

Complements:

Code	Element
21PB3001006	Vertical outlet sleeve to floor: 210mm
21PB3001020	Horizontal outlet sleeve to wall: 180mm






SANITARY NEW ARES DUAL

- Dual Wash Down discharge drive. Internaladmission: 15"-16".
- Seat and lid with Soft Close hinges for easy installation.
- Cup weight 25 Kg. and stake 15 Kg.
- Major discharge 4.8 Minor discharge 3.4 Liters

Includes: Fixing kit and lid-pond seal.



Kit:

Code	Element
60AR1205000	Cup
60AR3001050	Pond with Mechanisms.
60AR1904000	Asiento y Tapa PP. Soft close
60PB1901015	Seat and Cover Urea Soft close

Complements:

stretto


Code	Element
21PB3001006	Vertical outlet sleeve to floor: 210mm
21PB3001020	Horizontal outlet sleeve to wall: 180mm








Accessories and complements




seats and covers


SEAT UREA ATOS AND ARES




SEAT AND COVER SOFT CLOSE NEW ATOS



SEAT AND LID ACROS PLUS



SEAT AND COVER NEW ARES





RECEPTACLES

340

5.

I will receive it with skirt




ACRYLIC SHOWER ENCLOSURE 9 CM HIGH

- Manufactured with 2 mm thick acrylic sheet, reinforced with fiberglass and resin to reach a final thickness of 18 mm.
- Non-slip interior design, base and perimeter reinforced with 10mm plate.
- Internal depth max. of 6 cm and a minimum of 3 cm.
- •External height 9 cm. Skirt of 13 cm (final height 22 cm). 2% interior slope.
- The surface can be repaired with water-based sandpaper.
- Load of 200 Kg.
- For installation it is necessary:
- •Receptacle drain COD. 22PB4013005.
- Supports.

Code	Measurement (cm)
64PB0912070	120x70x9
64PB0913070	130x70x9
64PB0914070	140x70x9
64PB0915070	150x70x9
64PB0916070	160x70x9







ABS SKIRT

- High resistance polymer (ABS).
- •Blanco finish.
- Externalheight 13 cm.

Code	Measurement (cm)
22PB1012013	120x13
22PB1013013	130x13
22PB1014013	140x13
22PB1015013	150x13
22PB1016013	160x13






BRACKET FOR RECEPTACLE

COD. 22PB2161613

- 16x16x13 cm.
- 1 unit.
- Material: EPS Cement Sandwich.





Receptáctulo Con Celosía

ACRYLIC SHOWER ENCLOSURE 14 CM HIGH WITH LATTICE

- Manufactured with 2 mm thick acrylic sheet, reinforced with fiberglass and resin to reach a final thickness of 18 mm.
- •Non-slip interior design, base and perimeter reinforced with 10 mm plate.
- Internal depth max. of 6 cm and a minimum of 3 cm.
- External height 14 cm.
- 11% interior slope.
- The surface can be repaired with water-based sandpaper.
- Load of 200 Kg.

For installation it is necessary:

- Receptacle drain COD. 22PB4013005. •Supports.
- Includes: Lattice.

Code	Measurement (cm)
64PB1001018	120x80x14
64PB1001017	130x80x14
64PB1001009	140x80x14
64PB1001013	150x80x14
64PB1001016	110x70x14
64PB1001006	120x70x14
64PB1001014	130x70x14
64PB1001008	140x70x14
64PB1001012	150x70x14
64PB1001015	160x70x14




RECEPTACLE DRAIN SHOWER TRAP


COD. 22PB4013005

• Impact resistant ABS.

• Great flow.










ENAMELLED STEEL TANK WITH ANTI-SLIP

- Sheet thickness 2.5 mm.
- Non-slip interior design.
- Maximum depth of 390 mm.
- Enamelled steel sheet
- ✓ Includes: Water overflow and 100% virgin acrylic skirt.

Code	Medida (cm)
63SA1012070	120x70
63SA1013070	130x70
63SA1014070	140x70
63SA1015070	150x70
63SA1016070	160x70








FALDON PARA TINA

- Easy-to-install tub skirt.
- Allowsfull access to the bottom of the tub.
- Easycleaning.
- Antibacterial.
- High Resistance Polymer (ABS).

Code	Medida (cm)
22PB2012045	120x45
22PB2013045	130x45
22PB2014045	140x45
22PB2015045	150x45







PARTITIONS SHOWER

AUDIONO DESCRIPTION BURGENIES BURGENIES

I

1

4 L

:

C

Sheete

ĬĬ.

screens

FIXED SHEET SHOWER SCREEN



- 8mm thick tempered glass partition.
- A Fixed Sheet.
- · Installation between walls finished with coating and without sloping.
- Plastic weather stripping to prevent water leakage.
- Optional screen printing.

Connection: Chromed Aluminum profiles and stainless steel fixings.

Material: Tempered Glass and Chromed Aluminum.

Regulations: Glass certified under European standards.

Includes: Fixing kit.



	22
Code	Measurements (cm)
65PB3001000	60 x 195
65PB3001001	70 x 195
65PB3001002	80 x 195
65PB3001003	90 x 195
65PB3001004	100 x 195
	100 C





- 8 mm thick tempered glass.Installation between walls finished with coating and without collapse.
- Plastic weather stripping to prevent water leakage.
 Option with Fixed or Folding Glass Cloth.
 Optional screen printing.

Connection: Chromed Aluminum profiles and stainless steel fixings.


Material: Tempered Glass and Chromed Aluminum.

Regulations: Glass certified under European standards.

Includes: Fixing kit.




Code	Measurements (cm)	Code	Measurements (cm)
65MT3060150	60x150	65MT2060150	60x150
65MT3070150	70x150	65MT2070150	70x150
65MT3090150	90x150	65MT2100150	100x150
65MT3100150	100x150	· ·	



50

950



screens

FOLDING DOOR SCREEN + FIXED SHOWER SHEET



- 8 mm thick tempered glass partition.
- A Fixed Leaf and a Swing Door.
- 32 mm aluminum bullet shooter.
- · Installation between walls finished with coating and without sloping.
- · Plastic weather stripping to prevent water leakage. • Optional screen printing.
- б θ

Connection: Chromed Aluminum profiles and stainless steel fixings.

Material: Tempered Glass and Chromed Aluminum.

Regulations: Glass certified under European standards.

Includes: Fixing kit.



WHITE

Code	Dimensions	
65PB2001000	110 x 195	
65PB2001003	140 x 195	
65PB2001004	150 x 195	
65PB2001005	170 x 195	

INOX. SATIN

Code	Dimensions	Code	Measurements (cm)
65PB2110595	105 x 195	65PB2112595	125 x 195
65PB2111095	110 x 195	65PB2113095	130x195 cm
65PB2111595	115 x 195	65PB2113595	135x195 cm
65PB2112095	120 x 195	65PB2114595	145x195 cm

FIXED PANEL PARTITION / TUB FOLDING PANEL



- 8 mm thick tempered glass partition.
- A Fixed Sheet.
- · Installation between walls finished with coating and without despair.
- Plastic weather strip to prevent water leakage.
 Screen printing optional.

Connection: Chromed Aluminum profiles and stainless steel fixings.

Material: Tempered Glass and Matte Black Finishing

Regulations: Glass certified under European standards.

Includes: Fixing kit.



Code nts (cn 65PB5007095 70 x 195 65PB5009095 90 x 195





screens

SLIDING DOOR PARTITION + FIXED LEAF



- 8mm thick tempered glass partition.
 Sliding door with 1 fixed leaf and 1 MOVABLE leaf with overlapping 4,5 cm.
- · Closing system with brake to avoid impact and soft closing.
- 32 mm aluminum bullet shooter.
- Installation between walls finished with coating
- and without despair.
- Plastic weatherstrip to prevent water leakage.
 Screen printing optional.

Connection: Chromed Aluminum profiles and stainless steel fixings.

Material: Tempered Glass and Chromed Aluminum.

Regulations: Glass certified under European standards.

Includes: Fixing kit.



WHITE

Code	Medidas (cm)
65PB4001000	110x195 cm
65PB4001001	120x195 cm
65PB4001002	130x195 cm
65PB4001003	140x195 cm
65PB4001004	150x195 cm
65PB4001005	160x195 cm
65PB4001006	170x195 cm
65PB4013085	130x185 cm
65PB4014085	140x185 cm

🔊 INOX. SATIN

Code	Dimensions	
65PB4114095	140 x 195	
65PB4114595	145 x 195	
65PB4115095	150 x 195	
65PB4115595	155 x 195	

MATT BLACK

Co	de	Measurements (cm)
65P	B4314095	140 x 195

8 --

F



Partition accessories

STABILIZING SQUARE



COD. 21PB6002073


- Compatible with fixed and folding partitions Strict.
- Strong square, with high protection against corrosion and high resistance to surface abrasion.
- Glass length: 400 mm.
- Width to Wall: 200 mm

Connection:

To the wall using 5.8 diameter x 27.6 mm plugs and installation screws for 4.75 diameter x 43.8 mm plugs.

Includes: Fixing kit.





STABILIZER BAR



COD. 21PB6002072

- Stabilizing bar for partitions.
- Compatible with Stretto fixed partitions.
 Resistant bar, with high protection against corrosion and high resistance to surface
- abrasion.

Connection:

To the wall using 5.8 diameter x 27.6 mm plugs and installation screws for 4.75 diameter x 43.8 mm plugs.

Includes: Fixing kit.



43	1200	
8		81 . 81
nt []		

stretto

Mirrors


MIRRORS



- Mirror with horizontal fixation.
 4 mm glass. of thickness.
 Free of lead and copper, derived from a more respectful process with the environment.
- Material: Crystal
- Includes: Fixings for installation to the wall by means of laminated and impregnated wood profiles, highly resistant to humidity. 50mmx16mm profile.



Code	Measurements (cm)
66ES5060100	60x100
66ES5060120	60x120
66ES5070100	70x100
66ES5070120	70x120
66ES5080100	80x100
66ES5090100	90x100
66ES5100100	100x100
66ES5120100	120x100



STREET WARRANTY

SCOPE AND CONDITIONS

1

DE POR

It is applicable to all Stretto brand products marketed and installed, which present some failure due to manufacturing defects and/or material fatigue from the date of the invoice or purchase-sale receipt.

- Valid claim only presenting ticket or purchase invoice.
- Non-transferable guarantee (valid only for first buyer).

Product must be presented complete (with all its components).

Griferías

Limited Lifetime Warranty

Applied to the main body of the faucet due to material and manufacturing defects.

The guarantee is limited to the repair of the product, change of components or replacement of the product when the defect cannot be repaired. It does not apply to any other expenses resulting from the failure.



Applied to the main body of the faucet and hoses for water with Technoflex® technology due to material and manufacturing defects.

The guarantee is limited to the repair of the product, change of components or replacement of the product when the defect cannot be repaired. It does not apply to any other expenses resulting from the failure.



5 year warranty

The parts corresponding to the ceramic closure, rods and fixing nut are not considered part of the main body of the faucet and are guaranteed for five (5) years, as are the parts that constitute assembly elements and connection to the water network. ** such as S-Connector, wall covering hoods, fixing set included, drain, bases, bolts or screws.






All faucet parts subject to wear due to use**, such as: aerators (external body and internal filter), shower hose, shower head, BRACKET,

chain, chain holder, drain plug and, in general, the parts that are not integral parts of the faucet body, are guaranteed against material or manufacturing defects for a period of one (1) year.

- The Matte Black surface finish is guaranteed for a period of three (3) years.
- ** Flexible for water with Technoflex® technology, are guaranteed for a period of ten (10) years.
- ** Differentiated warranty period for the inverter is three (3) years.



Shower and bathroom accessories are guaranteed against material and manufacturing defects for a period of 2 years, counting from the date of the invoice or sales receipt.



Gasfitería





Applied to plumbing category products, due to material and manufacturing defects. The guarantee considers repair or replacement of the product – at the discretion of Stretto.



4. Lozas y Sanitarios



n

Limited Lifetime Warranty

Applied to Vitreous Earthenware category products, due to material and manufacturing defects. The guarantee considers repair or replacement of the product – at the discretion of Stretto.



5 year warranty

Applies to product accessories, which are guaranteed against material and manufacturing defects for a period of 5 years, counting from the date of the invoice or sales receipt.

EXCEPTIONS TO THE WARRANTY

The STRETTO warranty does not cover:

1. Damage caused by a faulty installation, nor by improper use, nor by the use of abrasive products (including cleaners) or solvents.

Examples of bad installation and handling practices are given below.

Bad installation:

- Flexible strangled, rigid, with break and torsion.
- Overtightening of the flexible in the fitting and in the nut-overtightening in the 15/16 nut angle wrench.
- Unevenness of S-Connector.
- Unevenness of network terminals.

Incorrect distance of the body of the angle wrench with respect to the tube of the intake valve.

• Excessive use of Teflon.

• Submit the product to pressures greater than those specified for its operation; 20 bar (20.4 kg/cm2, or 204 mH2O).

- Unevenness in sanitary facilities.
- WC fixings without sufficient tightening Fixings
- between the pond and the WC without sufficient tightening which can cause leaks.
- Correct separation between the pond and the wall.
- Insufficient welding in plumbing products.

Improper handling:

- Any modification to the original product.
- Product disassembly.
- · Flexible with corrosion by muriatic acid, chlorides or caustic soda.



- S-Connector cut or lowered by the installer Cut angle
- wrench or recesses in threads of the angle wrench or recesses in flexible nuts.
- Asparagus cut.
- Aerators damaged by tools.
- Aerators damaged by hard water.
- Deformed M-10 emballed.

· Marks or damage caused by inappropriate tools. • Use of abrasive

products.

Others:

• Damages caused to Stretto products due to incorrect operation or installation of products from other brands.

- For loss or theft of products and/or accessories.
- · years caused by waste transported by the drinking water network.
- Use of couplings or extensions that modify the operation of the product.

2. Labor costs originated by the uninstallation of the product to carry out the warranty service or for the installation or re-installation of said product.

3. Accessories or related installation supplies, not manufactured by STRETTO.

4. Freight or courier expenses incurred in the process of sending the product to the technical service.

5. The STRETTO warranty is limited exclusively to the repair or replacement – at STRETTO's discretion – of the defective parts of the product and does not include the payment of compensation for damages of any kind resulting from leaks, humidity, floods or others.

Stretto Recommendations

Before installing our taps, we recommend carrying out a general cleaning of the pipes.

Stretto recommends that the installation of its products be done by a qualified and certified plumbing installer.

- When installing a faucet equipped with water hoses, avoid bending or deforming them, this way the water will flow without obstructions, favoring the useful life of the product.
- For faucets equipped with aerators, it is advisable to remove and clean them every one (1) month, since there are geographical areas where the water is very hard and quickly clogs the component.
- If the faucet has a very low water flow, disassemble the aerator and clean its internal components with a fine brush to remove any impurities present.
- If you notice that the aerator is clogged, remove it from the faucet and let it soak overnight submerged in a container with water and vinegar, in proportions of 2 to 1 respectively. Then, place the aerator under running water to drain the debris.
- The above procedure is also recommended for cleaning shower handles with non-removable shower heads that present obstructions. Pins or the like should not be used for this purpose, as they could damage the internal mechanism.
- It is recommended to maintain and clean the shower handles every one (1) month.
- To clean the faucet, use a soft cloth with a neutral, non-abrasive cleaner. Subsequently, dry the surface with a soft cloth. •
- Do not use cloths with an abrasive surface to clean the taps.
- To prolong the life of your faucet, we suggest not using metal fiber pads, abrasive cleaners or cleaning powders.
- It is recommended to change the hoses for water every 5 years; Technoflex hoses, every 10 years.
- Warning for flexible hoses: do not apply a direct flame or come into contact with elements at high temperatures. When you
- have finished using your touch taps frequently, close the water flow with the shower head.
- When recharging devices with batteries, close the flow of water. Charge in a dry place out of the reach of children. Under no circumstances use muriatic acid, hydrochloric acid, chlorides, caustic soda, or other abrasive cleaners to clean
- clean the surface of the faucets or the hoses, as these chemicals cause irreparable damage to the surfaces of these products and, consequently, will
 - void the product warranty.

stretto

ICONOGRAPHY TAPS

1	
6	γ
X	ઝ
C	2

high water efficiency

 High water efficiency that guaranteesoptimal consumption.

 The Chilean standard NCh 412/2012 indicates that aproduct is efficient when its flow rate is less than 7lt/min(measured at 3 bar pressure).



water efficiency •100% sealed and reinforced edges that prevent detachment. • Water efficiency that guarantees

- optimum consumption.
- The ChileanstandardNCh3196/2-2010 indicates that a product is efficient when its flow rate is less than 9lt/min(measured |
- at 3 bar pressure).



airmix

· Technology that mixes air bubbles with water. • Does not alter the flow. Allows you to save water without affecting the user experience.



 Product with certified waterefficiency (NCh 3196/2-2010). •Provides optimum spray angle. •Guarantees a consumption of lessthan 9 It/min at 3 bar pressure.

technoflex





- Flexible vinyl resistant to corrosive
- agents. It can be twisted and bent without being damaged.
- Resistant to temperature changes.
- Extended warranty of 10years of
- manufacture.



fastfix

· Quick and practical fixing system. Installation without the use of tools.



MOVABLE aerator

 Head with a MOVABLE aerator that delivers a water outlet in different directions depending on the assigned movement.




perfect spray

· Incorporation of up to 3 types of jets that guarantee an optimal shower sensation.



·Quick disassembly of components that facilitates cleaning.

ICONOGRAPHY COMPLEMENTARY PRODUCTS



TECHNOLOGIES







stretto



stretto®

Email: sales@nbplumbtech.com TEL: +86-19817374343 Website: www.nbplumbtech.com